Kentucky

Comparison of Racial and Ethnic Distribution by Local Agency Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution by Local Agency White, Not Black, Not American Asian/Pacific All Other / **Local Agency** Number Hispanic Included in Hispanic Hispanic Unknown Indian/Alaskan Islander Analysis (3) % 3 Rivers 1,353 89.7 1.4 8.4 0.3 0.2 0.0 Allen 600 96.8 1.0 1.0 0.0 1.2 0.0 Anderson 345 91.3 5.2 3.5 0.0 0.0 0.0 Barren Riv 82.8 5.6 1.2 0.0 6.233 10.1 0.2 78.1 Bourbon 474 9.1 11.6 0.2 1.1 0.0 0.0 Boyd 1,425 96.8 1.6 1.3 0.1 0.1 Boyle 567 94.2 5.5 0.0 0.0 0.4 0.0 230 99.6 0.0 0.4 0.0 0.0 Bracken 0.0 Breathitt 687 99.3 0.6 0.0 0.1 0.0 0.0 Breckinrid 95.7 0.4 0.0 0.0 492 3.9 0.0 Buffalo Tr 91.5 703 6.3 1.3 0.4 0.6 0.0 Bullitt 1,122 99.1 0.5 0.1 0.0 0.3 0.0 C & Y 1.237 4.6 91.1 0.3 1.5 2.4 0.0 Christian 64.1 30.2 4.9 0.1 8.0 0.0 4,981 Clark 3.3 0.6 823 89.6 6.6 0.0 0.0 Cumb Val 5,701 97.5 1.6 8.0 0.1 0.0 0.0 Estill 595 98.8 0.7 0.0 0.0 0.5 0.0 Fayette 5,022 47.9 31.0 14.9 0.4 5.8 0.0 Fleming 551 97.5 1.6 0.9 0.0 0.0 0.0



Page:

Run Date:

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with errors.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Kentucky Comparison of Racial and Ethnic Distribution by Local Agency Children Aged < 5 Years (2)

	Comparison of	f Racial and E	Ethnic Distrib	ution by Lo	cal Agency		
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan	Asian/Pacific Islander %	All Other / Unknown %
Floyd	1,854	99.5	0.3	0.2	0.0	0.0	0.0
Franklin	1,011	77.0	16.2	4.5	0.3	2.1	0.0
Garrard	551	94.7	2.4	2.7	0.2	0.0	0.0
Gateway	1,967	98.3	0.6	0.7	0.3	0.1	0.0
Green Riv	6,260	87.9	8.3	2.6	0.1	1.0	0.0
Greenup	976	99.1	0.8	0.0	0.0	0.1	0.0
Hopkins	1,513	84.6	13.0	2.0	0.1	0.3	0.0
Jefferson	11,973	57.2	35.6	4.9	0.2	2.1	0.0
Jessamine	1,053	90.8	5.2	2.6	0.1	1.3	0.0
Johnson	1,038	100.0	0.0	0.0	0.0	0.0	0.0
Knox	1,520	98.8	1.1	0.1	0.0	0.0	0.0
KY River	4,513	99.0	0.9	0.1	0.0	0.0	0.0
Lake Cumb	7,255	95.6	2.0	2.2	0.1	0.2	0.0
Laurel	1,640	98.7	0.7	0.3	0.0	0.3	0.0
Lawrence	600	99.8	0.2	0.0	0.0	0.0	0.0
Lewis	500	99.6	0.4	0.0	0.0	0.0	0.0
Lincoln	874	93.6	3.0	3.3	0.0	0.1	0.0
Lincoln Tr	7,584	84.7	12.4	2.4	0.1	0.4	0.0
Little San	1,554	99.2	0.3	0.1	0.3	0.1	0.0

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

Run Date:

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Kentucky Comparison of Racial and Ethnic Distribution by Local Agency Children Aged < 5 Years (2)

	Comparison of	f Racial and I	Ethnic Distrik	oution by Loc	cal Agency		
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan	Asian/Pacific Islander %	All Other / Unknown %
Madison	1,785	89.9	7.7	1.1	0.1	1.2	0.0
Magoffin	727	98.3	0.0	1.7	0.0	0.0	0.0
Marshall	859	99.5	0.5	0.0	0.0	0.0	0.0
Martin	711	99.9	0.0	0.1	0.0	0.0	0.0
Mercer	592	89.2	4.7	5.7	0.0	0.3	0.0
Monroe	408	88.7	5.6	5.4	0.2	0.0	0.0
Montgomery	872	95.5	1.3	2.6	0.0	0.6	0.0
Muhlenberg	1,033	96.6	3.0	0.3	0.0	0.1	0.0
N Central	1,683	73.3	7.4	19.2	0.1	0.1	0.0
N KY	6,632	89.3	7.3	2.8	0.1	0.4	0.0
Oldham	588	82.8	5.1	11.7	0.0	0.3	0.0
Park DuV	1,528	13.4	78.7	3.3	0.9	3.7	0.0
Pennyrile	2,267	90.5	6.8	1.5	0.1	1.1	0.0
Pike	2,071	99.5	0.4	0.0	0.0	0.1	0.0
Powell	681	97.8	0.6	0.9	0.0	0.7	0.0
Purchase	4,145	70.2	23.9	4.3	0.2	1.4	0.0
Todd	460	81.5	11.5	5.4	0.2	1.3	0.0
WEDCO	1,544	90.9	4.5	4.1	0.2	0.2	0.0
Whitley	2,211	99.7	0.1	0.0	0.0	0.1	0.0

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

Run Date:

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Kentucky

Comparison of Racial and Ethnic Distribution by Local Agency Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution by Local Agency Local Agency White, Not Black, Not Hispanic Asian/Pacific All Other / Number American Included in Hispanic Hispanic Indian/Alaskan Islander Unknown Analysis (3) % Woodford 78.2 4.7 0.4 0.0 533 16.5 0.2 Unknown Local Agencies 1,324 83.8 12.8 2.7 0.0 0.6 0.0 Kentucky 120,031 82.9 12.6 3.4 0.1 0.9 0.0 Nation 40.2 31.4 2.8 2.9 5,174,210 21.4 1.4

(Prior Year)



Page:

Run Date:

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by Local Agency Children Aged < 5 Years (2)

	Comparison	of Age Distribution	by Local Agency	
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
3 Rivers	1,353	29.9	26.8	43.3
Allen	600	24.8	24.3	50.8
Anderson	345	31.0	25.2	43.8
Barren Riv	6,233	35.4	24.7	39.9
Bourbon	474	27.0	32.3	40.7
Boyd	1,425	33.9	25.7	40.4
Boyle	567	35.1	26.3	38.6
Bracken	230	33.9	23.5	42.6
Breathitt	687	24.6	21.1	54.3
Breckinrid	492	27.2	26.4	46.3
Buffalo Tr	703	29.4	26.3	44.2
Bullitt	1,122	36.5	25.6	37.9
C & Y	1,237	36.3	23.1	40.6
Christian	4,981	34.8	22.4	42.8
Clark	823	36.6	23.6	39.9
Cumb Val	5,701	25.1	25.2	49.7
Estill	595	30.3	24.2	45.5
Fayette	5,022	37.2	25.9	36.9

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date:

⁽²⁾ Analyses based on one record per child.
(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by Local Agency Children Aged < 5 Years (2)

	Comparison	of Age Distribution	by Local Agency	
Local Agency	Number Included in Analysis	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
	(3,4)	70	70	70
Fleming	551	24.0	25.4	50.6
Floyd	1,854	26.1	25.7	48.3
Franklin	1,011	40.7	22.8	36.5
Garrard	551	25.0	27.8	47.2
Gateway	1,967	26.7	25.6	47.7
Green Riv	6,260	33.0	23.7	43.3
Greenup	976	32.9	23.5	43.6
Hopkins	1,513	31.0	23.5	45.5
Jefferson	11,973	38.7	24.2	37.1
Jessamine	1,053	32.0	24.3	43.7
Johnson	1,038	24.6	26.0	49.4
Knox	1,520	25.6	24.5	49.9
KY River	4,513	27.6	23.8	48.6
Lake Cumb	7,255	29.6	25.4	45.0
Laurel	1,640	36.3	23.3	40.4
Lawrence	600	27.2	28.3	44.5
Lewis	500	27.0	26.8	46.2
Lincoln	874	33.9	22.2	43.9

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date:

2

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by Local Agency Children Aged < 5 Years (2)

	Comparison	of Age Distribution	by Local Agency	
Local Agency	Number Included in Analysis	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
	(3,4)			70
Lincoln Tr	7,584	31.3	23.5	45.1
Little San	1,554	25.4	25.7	48.9
Madison	1,785	35.9	23.6	40.5
Magoffin	727	22.7	24.6	52.7
Marshall	859	29.6	26.9	43.5
Martin	711	23.5	23.1	53.4
Mercer	592	33.8	22.6	43.6
Monroe	408	31.4	22.5	46.1
Montgomery	872	32.7	22.9	44.4
Muhlenberg	1,033	27.0	28.1	44.9
N Central	1,683	32.9	28.2	39.0
N KY	6,632	31.0	25.7	43.3
Oldham	588	29.6	27.0	43.4
Park DuV	1,528	33.7	22.0	44.3
Pennyrile	2,267	29.1	27.4	43.4
Pike	2,071	32.5	22.6	44.9
Powell	681	27.6	24.1	48.3
Purchase	4,145	28.5	27.1	44.4

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date:

⁽²⁾ Analyses based on one record per child.
(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by Local Agency Children Aged < 5 Years (2)

	Comparison	of Age Distribution	by Local Agency	
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Todd	460	23.7	30.2	46.1
WEDCO	1,544	32.1	26.7	41.2
Whitley	2,211	29.0	23.0	47.9
Woodford	533	30.0	30.8	39.2
Unknown Local Age	1,324	89.7	3.2	7.1
Kentucky	120,031	32.4	24.5	43.1
Nation (Prior Year)	5,174,210	37.3	21.6	41.1



Page:

Run Date:

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 1 Run Date: 8 / 6 / 03

		Compa	rison of G	rowth a	nd Anen	nia Indi	cators l	oy Local	Agency	(3,4	4)	
		Birthweight	(5)		Height and Weight							
		Low High		Short Under- Over- Stature weight weight (6) (7) (7)			≥ 2 Yrs Over- weight ⁽⁷⁾			Low	emia Hb/Hct (8)	
Local Agency	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
3 Rivers	368	9.2 (23)	6.8 (19)	1,319	8.0 (34)	5.0 (36)	16.6 (30)	579	18.7(34)	18.7(37)	956	9.2 (23)
Allen	138	10.9 (40)	10.1 (51)	585	7.4 (26)	3.4(16)	17.1 (34)	290	22.8 (56)	19.0 (42)	368	8.4 (21)
Anderson	81	* *	* *	327	9.2(49)	5.8 (45)	20.8 (52)	147	19.0 (43)	23.8 (56)	253	5.9 (6)
Barren Riv	1,794	9.9 (31)	6.9 (20)	6,010	7.2(24)	3.6(18)	16.2(26)	2,424	18.9 (39)	17.3 (27)	3,899	11.8 (37)
Bourbon	117	11.1 (41)	9.4 (47)	450	8.9 (46)	2.0 (2)	21.1 (53)	178	22.5 (55)	21.9(54)	342	29.8 (58)
Boyd	425	11.3 (44)	7.5 (25)	1,357	6.8(21)	10.2(58)	14.2 (9)	561	18.0 (28)	16.8 (24)	880	10.9 (31)
Boyle	181	12.7 (52)	6.6 (15)	527	9.1 (48)	5.3(41)	16.3(27)	199	19.1 (44)	18.1 (33)	325	8.3 (20)
Bracken	69	* *	* *	220	8.2(39)	6.8 (50)	22.7(55)	95	* *	* *	146	4.1 (2)
Breathitt	154	8.4 (16)	9.1 (45)	639	6.4(15)	3.3(12)	20.0(50)	361	14.4 (7)	17.2(26)	506	5.3 (4)
Breckinrid	113	8.0 (11)	6.2 (11)	481	7.5 (29)	3.3(12)	15.0(15)	226	21.2(50)	13.3(10)	367	3.3 (1)
Buffalo Tr	194	5.7 (2)	8.2 (33)	681	8.8 (45)	6.5 (47)	16.6(30)	307	16.9(19)	14.0(12)	474	10.8 (30)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 2 Run Date: 8 / 6 / 03

		Compar	ison of G	rowth a	nd Anem	nia Indi	cators b	y Local	Agency	(3,4	1)	
		Birthweight	(5)		Height and Weight							
		Low	Stature weight weight Over- (6) (7) (7) weight (7)					Low	nemia Hb/Hct (8)			
Local Agency	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% n ≥95th (Rank)	Number	% (Rank)
Bullitt	368	8.2 (13)	9.0 (43)	1,067	8.2(39)	3.6(18)	16.8 (33)	410	15.4(13)	17.6 (28)	625	19.2 (54)
C & Y	389	10.0 (33)	5.7 (7)	1,174	8.2(39)	5.7(44)	16.3(27)	491	18.9 (39)	20.4(49)	300	21.0 (56)
Christian	1,231	9.0 (21)	8.6 (38)	4,788	5.6(11)	6.9 (52)	10.3 (1)	2,092	12.2 (2)	8.1 (2)	3,334	26.7 (57)
Clark	255	14.1 (53)	8.6 (38)	791	7.7(31)	3.7(20)	15.7(21)	315	21.9(51)	15.2(15)	495	12.7 (43)
Cumb Val	1,276	9.7 (28)	8.2 (33)	5,490	6.2(14)	5.4 (42)	19.2(48)	2,762	16.5(18)	17.8 (32)	3,974	8.0 (19)
Estill	158	6.3 (4)	7.6 (28)	578	3.8 (3)	4.8 (34)	15.9 (22)	267	18.0 (28)	18.4 (34)	421	7.1 (11)
Fayette	1,554	12.5 (50)	7.5 (25)	4,791	7.2(24)	4.0 (25)	14.3(11)	1,810	19.4 (45)	15.6(17)	3,073	15.6 (48)
Fleming	127	7.1 (5)	11.8 (53)	539	6.7(19)	5.2(39)	14.5(12)	275	16.4(16)	16.0(21)	418	16.7 (52)
Floyd	440	7.7 (9)	8.0 (31)	1,779	4.5 (7)	9.4(57)	13.3 (5)	856	12.3 (3)	14.1 (14)	1,320	7.1 (11)
Franklin	308	8.1 (12)	6.2 (11)	968	8.9 (46)	7.0 (53)	18.6 (46)	363	18.7(34)	21.5(53)	683	13.2 (45)
Garrard	119	8.4 (16)	6.7 (16)	527	4.9 (8)	3.8 (23)	16.1 (24)	255	16.9(19)	18.4(34)	340	11.5 (34)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 3 Run Date: 8 / 6 / 03

		Compar	ison of G	rowth a	nd Anem	nia Indi	cators b	oy Local	Agency	(3,4	1)	
		Birthweight	(5)			He	eight and V	Veight				
	Low High		High	Short Under- Over- Stature weight weight (6) (7) (7)			≥ 2 Yrs Over- weight ⁽⁷⁾			Low	nemia Hb/Hct (8)	
Local Agency	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% - ≥95th (Rank)	Number	% (Rank)
Gateway	445	7.2 (6)	13.0 (55)	1,921	6.4(15)	3.3(12)	18.2(43)	919	18.9 (39)	17.6(28)	1,350	15.5 (47)
Green Riv	1,682	10.5 (37)	5.9 (8)	6,036	9.6 (51)	2.9 (5)	18.6 (46)	2,650	18.1 (30)	18.8 (39)	3,901	10.6 (29)
Greenup	248	11.7 (46)	7.7 (29)	942	3.3 (1)	8.4 (55)	12.3 (3)	418	17.9 (25)	12.2 (7)	662	6.8 (9)
Hopkins	346	14.5 (54)	3.2 (1)	1,429	13.7(57)	1.5 (1)	21.6(54)	664	21.1 (49)	18.7(37)	1,087	12.3 (40)
Jefferson	3,886	10.3 (34)	6.7 (16)	11,384	8.0 (34)	4.7(32)	15.5(20)	4,277	17.1 (21)	15.9 (20)	7,559	12.2 (39)
Jessamine	263	5.3 (1)	8.7 (40)	1,013	8.5 (42)	2.3 (3)	17.5 (36)	449	18.9 (39)	17.6 (28)	742	9.6 (27)
Johnson	233	9.9 (31)	10.3 (52)	998	5.4(10)	5.9 (46)	17.8 (39)	505	14.9(10)	16.8 (24)	769	16.6 (51)
Knox	334	12.6 (51)	6.0 (9)	1,471	6.1 (13)	3.2(10)	17.9 (40)	740	17.7(24)	20.0 (47)	1,116	11.6 (36)
KY River	1,045	8.6 (18)	7.2 (24)	4,268	9.7 (52)	2.5 (4)	26.7(57)	2,135	17.9 (25)	20.8 (50)	3,373	8.9 (22)
Lake Cumb	1,826	8.7 (19)	8.0 (31)	6,983	7.4 (26)	3.7(20)	15.0(15)	3,154	17.9 (25)	15.8(19)	4,546	7.8 (16)
Laurel	481	9.8 (29)	9.1 (45)	1,591	6.9 (22)	5.2(39)	14.5(12)	635	20.6 (47)	19.2(44)	1,019	14.6 (46)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 4 Run Date: 8 / 6 / 03

		Compa	rison of G	rowth a	nd Anen	nia Indi	cators l	oy Local	Agency	(3,4	1)	
		Birthweight	(5)		Height and Weight							
		Low	High		Short Stature (6)	Under- weight		≥ 2 Yrs Over- weight ⁽⁷⁾			Low	emia Hb/Hct (8)
Local Agency	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% - ≥95th (Rank)	Number	% (Rank)
Lawrence	154	11.7 (46)	4.5 (2)	575	5.2 (9)	4.9 (35)	20.3(51)	262	18.7(34)	21.0(51)	402	7.5 (13)
Lewis	125	10.4 (36)	6.4 (13)	480	7.1 (23)	2.9 (5)	16.7(32)	218	22.0 (53)	20.2(48)	315	4.8 (3)
Lincoln	227	11.9 (48)	8.4 (36)	834	7.6 (30)	5.0 (36)	18.5 (45)	369	17.1 (21)	19.8 (46)	626	7.7 (14)
Lincoln Tr	1,922	9.5 (25)	7.0 (22)	7,332	9.2(49)	2.9 (5)	17.9 (40)	3,366	20.8 (48)	16.0(21)	5,466	7.9 (18)
Little San	355	7.6 (8)	12.1 (54)	1,492	3.8 (3)	6.8 (50)	12.7 (4)	732	15.4(13)	12.7 (8)	1,006	9.6 (27)
Madison	524	9.0 (21)	9.5 (48)	1,736	8.5 (42)	5.6 (43)	13.7 (7)	699	21.9(51)	19.2(44)	1,219	11.3 (33)
Magoffin	147	8.2 (13)	8.8 (41)	703	10.7(53)	4.0 (25)	26.3 (56)	363	16.0(15)	24.0 (57)	511	20.5 (55)
Marshall	228	8.3 (15)	7.5 (25)	822	11.2(54)	6.7(48)	14.5(12)	365	12.6 (4)	7.1 (1)	558	7.7 (14)
Martin	149	9.4 (24)	4.7 (3)	683	5.9 (12)	3.1 (9)	17.6(37)	363	17.6(23)	18.5 (36)	544	5.5 (5)
Mercer	165	11.5 (45)	5.5 (6)	575	8.7 (44)	4.3 (30)	16.0 (23)	249	23.7(57)	18.9(41)	410	7.8 (16)
Monroe	99	* *	* *	398	8.0 (34)	3.8 (23)	13.6 (6)	185	15.1 (11)	11.9 (6)	286	11.5 (34)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 5 Run Date: 8 / 6 / 03

		Compa	ison of G	rowth a	nd Anem	nia Indi	cators b	oy Local	Agency	(3,4	4)		
		Birthweight	(5)			Не	eight and V	Veight					
		S			Short Stature (6)	Under- weight (7)		≥ 2 Yrs Over- weight ⁽⁷⁾			Anemia Low Hb/Hct (8)		
Local Agency	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% n ≥95th (Rank)	Number	% (Rank)	
Montgomery	229	9.6 (27)	7.0 (22)	831	6.7(19)	3.2(10)	14.2 (9)	379	13.2 (5)	12.9 (9)	622	9.2 (23)	
Muhlenberg	256	9.8 (29)	9.0 (43)	1,004	4.3 (6)	7.2(54)	12.1 (2)	466	14.6 (8)	13.7(11)	661	9.5 (25)	
N Central	443	12.4 (49)	5.2 (4)	1,578	16.7(58)	3.4(16)	27.0 (58)	629	18.8 (38)	23.4 (55)	1,160	10.9 (31)	
N KY	1,586	11.2 (42)	8.4 (36)	6,328	8.0 (34)	4.2(29)	17.7(38)	2,796	18.1 (30)	18.8 (39)	4,684	13.0 (44)	
Oldham	150	10.7 (39)	6.7 (16)	558	12.7(56)	2.9 (5)	18.3(44)	241	22.0 (53)	16.6 (23)	373	15.8 (49)	
Park DuV	428	18.7 (55)	6.1 (10)	1,462	11.8 (55)	4.1 (28)	15.4(19)	673	19.9 (46)	15.6(17)	1,062	9.5 (25)	
Pennyrile	570	8.8 (20)	8.9 (42)	2,190	6.6 (18)	5.1 (38)	15.0(15)	964	16.4(16)	14.0(12)	1,536	12.6 (42)	
Pike	554	10.3 (34)	7.8 (30)	1,960	3.5 (2)	8.7(56)	17.2(35)	888	18.6 (33)	21.3(52)	1,363	6.8 (9)	
Powell	173	7.5 (7)	5.2 (4)	659	3.9 (5)	3.3(12)	15.3(18)	330	15.2(12)	15.5(16)	501	6.2 (7)	
Purchase	1,078	11.2 (42)	8.2 (33)	3,892	7.7(31)	4.7(32)	19.7(49)	1,787	18.4(32)	17.6 (28)	2,839	16.2 (50)	
Todd	101	5.9 (3)	6.9 (20)	448	8.0 (34)	4.0 (25)	16.5(29)	205	14.1 (6)	8.8 (3)	351	17.4 (53)	

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 6 Run Date: 8 / 6 / 03

		Compa	ison of G	rowth ar	d Anen	nia Ind	icators l	y Local	Agency	(3,4	4)	
		Birthweight	(5)		Height and Weight							
		High		$\begin{array}{cccccccccccccccccccccccccccccccccccc$					Low	emia Hb/Hct (8)		
Local Agency	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95tl (Rank)	% h ≥95th (Rank)	Number	% (Rank)
WEDCO	431	9.5 (25)	6.5 (14)	1,467	6.4(15)	6.7 (48)	13.7 (7)	629	11.0 (1)	10.0 (4)	1,050	12.5 (41)
Whitley	493	7.7 (9)	9.9 (50)	2,133	7.4(26)	4.5(31)	17.9(40)	1,021	18.7(34)	19.1 (43)	1,635	6.2 (7)
Woodford	132	10.6 (38)	9.8 (49)	515	7.8 (33)	3.7(20)	16.1 (24)	205	14.6 (8)	11.7 (5)	349	12.0 (38)
Kentucky	32,542	10.0	7.5	114,943	7.6	4.6	16.8	50,285	17.7	16.8	79,270	11.6
Nation (Prior Year)	1,260,117	9.0	7.9	4,846,643	6.4	5.4	13.1	2,031,241	15.3	13.4	3,265,122	2 13.3

⁽⁸⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

⁽⁵⁾ Infants born during the reporting period included in the analysis.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁷⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

Page: 1 Run Date: 8 / 6 / 03

Compariso		stfeeding sehold by	• •	•	d Smok (4,5)	ing in						
		Breastfeeding (6)										
Local Agency	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)						
3 Rivers	369	17.9 (13)	134	0.7 (21)	248	0.0 (1)						
Allen	138	24.6 (4)	51	* *	95	* *						
Anderson	82	* *	43	* *	57	* *						
Barren Riv	1,828	13.2 (34)	626	1.1 (13)	1,074	0.0 (1)						
Bourbon	119	17.6 (15)	63	* *	108	0.0 (1)						
Boyd	425	14.1 (30)	127	0.8 (19)	238	0.0 (1)						
Boyle	187	9.1 (49)	53	* *	104	0.0 (1)						
Bracken	70	* *	20	* *	34	* *						
Breathitt	154	9.7 (45)	52	* *	103	0.0 (1)						
Breckinrid	114	16.7 (18)	41	* *	87	* *						
Buffalo Tr	194	15.5 (27)	73	* *	132	0.0 (1)						
Bullitt	374	16.6 (20)	102	0.0 (27)	213	0.0 (1)						
C & Y	391	15.3 (28)	107	0.9 (17)	200	0.0 (1)						

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributers.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: 2 Run Date: 8 / 6 / 03

Compariso		stfeeding sehold by	• •	•	d Smok (4,5)	ing in					
	Breastfeeding (6)										
Local Agency	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)					
Christian	1,287	21.4 (7)	507	4.1 (2)	646	0.0 (1)					
Clark	255	14.1 (30)	94	* *	140	0.0 (1)					
Cumb Val	1,287	11.2 (39)	527	0.2 (26)	1,031	0.0 (1)					
Estill	158	17.1 (16)	45	* *	91	* *					
Fayette	1,560	39.2 (1)	525	4.6 (1)	932	0.0 (1)					
Fleming	127	11.0 (40)	58	* *	102	0.0 (1)					
Floyd	440	4.5 (54)	177	0.0 (27)	322	0.0 (1)					
Franklin	308	26.3 (3)	131	2.3 (4)	164	0.0 (1)					
Garrard	124	17.7 (14)	50	* *	114	0.0 (1)					
Gateway	448	10.3 (44)	177	1.1 (13)	334	0.0 (1)					
Green Riv	1,684	13.6 (33)	619	1.6 (9)	978	0.0 (1)					
Greenup	250	18.0 (12)	103	1.0 (15)	143	0.0 (1)					
Hopkins	353	11.0 (40)	125	0.0 (27)	222	0.0 (1)					

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributers.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: 3 Run Date: 8 / 6 / 03

Compariso		stfeeding sehold by	• •	•	d Smok (4,5)	ing in						
		Breastfeeding (6)										
Local Agency	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)						
Jefferson	3,909	19.6 (9)	1,298	1.5 (10)	1,999	0.0 (1)						
Jessamine	264	16.7 (18)	110	1.8 (6)	166	0.0 (1)						
Johnson	233	8.2 (50)	101	0.0 (27)	183	0.0 (1)						
Knox	345	8.1 (51)	136	0.0 (27)	257	0.0 (1)						
KY River	1,055	7.6 (52)	448	0.9 (17)	716	0.0 (1)						
Lake Cumb	1,841	14.8 (29)	709	1.0 (15)	1,299	0.0 (1)						
Laurel	481	10.4 (43)	163	1.2 (12)	262	0.0 (1)						
Lawrence	154	9.7 (45)	59	* *	114	0.0 (1)						
Lewis	125	16.8 (17)	53	* *	104	0.0 (1)						
Lincoln	227	13.7 (32)	90	* *	126	0.0 (1)						
Lincoln Tr	1,930	18.6 (11)	717	0.4 (25)	1,147	0.0 (1)						
Little San	357	16.5 (21)	139	0.7 (21)	258	0.0 (1)						
Madison	525	16.2 (22)	193	2.6 (3)	295	0.0 (1)						

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributers.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: 4 Run Date: 8 / 6 / 03

	Hou	sehold by		agency	(4,5)	
			Breas	stfeeding (6)		
Local Agency	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)
Magoffin	147	2.7 (55)	80	* *	133	0.0 (1)
Marshall	230	20.0 (8)	88	* *	153	0.0 (1)
Martin	153	2.6 (56)	50	* *	121	0.0 (1)
Mercer	165	10.9 (42)	54	* *	89	* *
Monroe	100	16.0 (24)	48	* *	59	* *
Montgomery	231	11.7 (37)	84	* *	126	0.0 (1)
Muhlenberg	256	9.4 (47)	99	* *	195	0.0 (1)
N Central	443	11.3 (38)	175	1.7 (7)	333	0.0 (1)
N KY	1,612	9.4 (47)	758	1.7 (7)	1,128	0.0 (1)
Oldham	150	24.0 (5)	61	* *	116	0.0 (1)
Park DuV	429	15.6 (26)	130	1.5 (10)	205	0.0 (1)
Pennyrile	570	22.1 (6)	241	0.8 (19)	429	0.0 (1)
Pike	556	12.9 (35)	214	0.5 (23)	330	0.0 (1)

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributers.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: 5 Run Date: 8 / 6 / 03

Comparison		stfeeding sehold by		•	d Smoki	ng in						
				tfeeding (6)								
Local Agency	Number	Number % Number % Breastfed Breastfed At Least 6 1 Months (Rank) (Rank) (Rank)										
Powell	173	6.9 (53)	61	* *	112	0.0 (1)						
Purchase	1,080	16.1 (23)	391	0.5 (23)	786	0.0 (1)						
Todd	101	18.8 (10)	46	* *	97	* *						
WEDCO	432	15.7 (25)	162	1.9 (5)	269	0.0 (1)						
Whitley	493	12.4 (36)	234	0.0 (27)	355	0.0 (1)						
Woodford	132	34.8 (2)	63	* *	112	0.0 (1)						
Unknown Local Ager	ci đ ş175	1.9 (57)	4	* *	20	* *						
Kentucky	32,800 15.6 11,889 1.3 20,006 0.0											
Nation (Prior Year)	874,598	51.1	493,552	20.3	484,228	13.3						



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributers.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: 1 Run Date: 8 / 6 / 03

		Compai	rison of G	rowth a	nd Anen	nia Indi	cators l	by Local	Agency	(3,4	1)		
		Birthweight	(5)			He	eight and V	Veight					
		Low	High	$\begin{array}{cccccccccccccccccccccccccccccccccccc$							Anemia Low Hb/Hct (8)		
Local Agency	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% - ≥95th (Rank)	Number	% (Rank)	
3 Rivers	1,122	9.7 (30)	6.3 (8)	3,931	7.1 (47)	5.6 (35)	14.0 (23)	1,683	16.3 (24)	15.0 (26)	2,783	11.0 (27)	
Allen	426	12.2 (56)	10.1 (51)	1,747	6.6 (36)	4.2(19)	14.9(30)	809	19.9 (53)	15.9 (35)	1,125	10.0 (24)	
Anderson	298	7.4 (5)	8.7 (35)	1,072	7.5 (50)	5.0 (25)	17.2(51)	476	21.0 (56)	18.7(53)	812	7.1 (8)	
Barren Riv	5,502	9.7 (30)	8.0 (25)	17,957	5.2(20)	4.8 (23)	14.0 (23)	7,070	17.2(34)	15.0 (26)	11,310	12.3 (36)	
Bourbon	434	11.5 (50)	9.0 (40)	1,451	5.7(26)	2.8 (2)	17.8 (53)	604	21.7(58)	17.4 (46)	1,024	29.7 (58)	
Boyd	1,212	10.3 (39)	8.5 (32)	4,132	6.7(41)	9.6 (57)	12.4 (8)	1,792	14.9(12)	13.8(16)	2,716	12.7 (39)	
Boyle	535	11.6 (51)	5.6 (3)	1,635	5.7(26)	5.5 (33)	13.7(21)	636	15.7(18)	15.4 (28)	1,001	9.5 (23)	
Bracken	197	12.2 (56)	7.1 (13)	646	7.3 (48)	7.0 (47)	19.2(54)	264	17.0 (29)	22.0 (57)	431	6.0 (4)	
Breathitt	448	9.2 (21)	8.7 (35)	2,110	4.3(10)	4.0 (17)	16.7(47)	1,188	13.0 (6)	14.7(24)	1,712	6.9 (7)	
Breckinrid	347	8.4 (12)	10.1 (51)	1,415	6.6 (36)	3.7 (9)	13.1 (10)	642	17.3 (36)	11.2 (6)	1,053	3.9 (1)	
Buffalo Tr	567	7.2 (4)	8.1 (26)	1,980	8.3 (55)	6.8 (45)	15.1 (32)	851	13.7 (8)	11.8 (7)	1,401	11.9 (31)	

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 2 Run Date: 8 / 6 / 03

		Compa	ison of G	rowth a	nd Anen	nia Indi	cators I	oy Local	Agency	(3,4	1)	
		Birthweight	(5)			Не	eight and V	Veight				
		Low	High	Short Under- Over- Stature weight weight (6) (7) (7)					≥ 2 Yrs Over- weight ⁽⁷⁾			emia Hb/Hct (8)
Local Agency	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Bullitt	1,071	8.1 (10)	7.3 (14)	3,130	6.4 (34)	3.9(14)	14.5 (28)	1,174	16.7(27)	14.0(17)	1,816	19.4 (55)
C & Y	419	10.0 (35)	5.5 (2)	1,204	8.2(53)	5.6 (35)	16.1 (41)	493	19.1 (49)	20.5 (56)	302	20.9 (56)
Christian	4,037	8.9 (17)	9.1 (43)	15,040	5.1 (18)	7.5 (49)	10.0 (1)	6,398	12.9 (5)	9.2 (3)	10,142	23.0 (57)
Clark	744	11.8 (52)	8.2 (28)	2,430	8.1 (52)	3.4 (7)	16.1 (41)	964	19.9 (53)	15.4(28)	1,658	12.0 (34)
Cumb Val	3,950	9.4 (25)	8.9 (39)	16,787	4.7(12)	6.3 (42)	16.7(47)	8,427	15.7(18)	16.4(39)	12,225	8.1 (17)
Estill	441	9.3 (23)	10.0 (49)	1,820	2.8 (1)	5.7(37)	13.4(14)	873	17.3 (36)	16.4(39)	1,380	7.3 (10)
Fayette	4,858	10.7 (44)	7.3 (14)	13,820	5.0 (15)	5.1 (26)	12.9 (9)	5,045	17.4 (38)	14.6 (23)	8,358	16.5 (50)
Fleming	410	7.6 (8)	9.8 (48)	1,817	4.6(11)	6.5 (43)	13.3(13)	862	15.7(18)	13.6(14)	1,415	16.5 (50)
Floyd	1,321	8.7 (15)	8.5 (32)	5,264	3.4 (7)	10.4(58)	12.0 (6)	2,512	10.1 (1)	11.9 (8)	3,793	8.7 (19)
Franklin	969	7.6 (8)	6.9 (11)	3,034	8.0 (51)	5.7(37)	17.7(52)	1,135	18.2(42)	18.4(50)	2,092	11.5 (29)
Garrard	343	10.5 (41)	9.0 (40)	1,536	5.7(26)	3.7 (9)	14.8 (29)	749	17.1 (32)	17.9 (49)	1,005	14.8 (47)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 3 Run Date: 8 / 6 / 03

		Compar	ison of G	rowth a	nd Anen	nia Indi	cators l	oy Local	Agency	(3,4	1)	
		Birthweight	(5)			Не	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight ⁽⁷⁾		Low	emia Hb/Hct (8)
Local Agency	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% □ ≥95th (Rank)	Number	% (Rank)
Gateway	1,422	7.4 (5)	12.4 (58)	5,889	5.2(20)	4.8 (23)	16.2(43)	2,757	17.0 (29)	16.4(39)	4,036	15.5 (49)
Green Riv	5,254	10.3 (39)	5.7 (4)	18,424	7.3 (48)	3.3 (5)	16.5 (45)	7,854	17.2(34)	16.7(42)	12,294	10.4 (25)
Greenup	780	9.9 (33)	8.1 (26)	2,829	2.9 (2)	8.8 (55)	11.7 (3)	1,242	15.4(17)	12.2 (9)	1,933	8.0 (16)
Hopkins	1,156	10.8 (46)	5.4 (1)	4,279	9.9 (56)	2.5 (1)	19.9(56)	1,882	19.3 (50)	18.5(51)	3,086	13.8 (44)
Jefferson	11,811	10.2 (37)	7.3 (14)	33,330	6.2(31)	6.1 (40)	13.4(14)	12,224	15.1 (14)	13.2(13)	21,180	13.4 (42)
Jessamine	890	7.0 (2)	9.0 (40)	3,026	6.6 (36)	3.2 (4)	15.3 (36)	1,281	17.6 (39)	15.4(28)	2,070	10.7 (26)
Johnson	754	7.0 (2)	10.3 (53)	3,002	3.6 (8)	8.1 (53)	15.0(31)	1,403	13.5 (7)	14.4(21)	2,208	17.0 (53)
Knox	1,031	9.3 (23)	8.2 (28)	4,554	5.2(20)	3.9(14)	16.0 (40)	2,244	16.5 (25)	16.8 (43)	3,528	14.1 (46)
KY River	3,304	9.5 (27)	7.7 (20)	13,468	6.8 (44)	3.5 (8)	23.2(57)	6,633	17.1 (32)	19.2(55)	10,542	7.8 (13)
Lake Cumb	5,546	8.5 (13)	8.2 (28)	20,829	4.8 (13)	5.4(32)	13.6(17)	9,279	15.1 (14)	14.2(19)	13,484	7.3 (10)
Laurel	1,513	11.8 (52)	9.2 (46)	4,850	5.0 (15)	6.5 (43)	13.6(17)	1,890	19.6(51)	15.9 (35)	3,008	13.3 (41)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 4
Run Date: 8 / 6 / 03

		Compai	rison of G	rowth a	nd Anem	nia Indi	cators b	oy Local	Agency	(3,4	1)		
		Birthweight	(5)			Не	eight and V	Veight					
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight ⁽⁷⁾		Anemia Low Hb/Hct (8)		
Local Agency	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% - ≥95th (Rank)	Number	% (Rank)	
Lawrence	484	11.8 (52)	7.0 (12)	1,732	4.2 (9)	8.0 (52)	16.6 (46)	767	15.8(21)	16.2(38)	1,161	9.1 (21)	
Lewis	405	11.1 (48)	9.1 (43)	1,428	6.0 (29)	5.3 (29)	13.6(17)	615	21.0 (56)	17.4 (46)	968	5.3 (2)	
Lincoln	671	10.7 (44)	7.6 (19)	2,433	5.6 (25)	6.1 (40)	15.5 (37)	1,078	19.6(51)	17.3 (45)	1,826	7.8 (13)	
Lincoln Tr	5,935	9.0 (18)	7.5 (18)	22,569	7.0 (46)	3.7 (9)	15.2(33)	9,948	18.0 (40)	14.7(24)	16,541	9.0 (20)	
Little San	1,156	7.5 (7)	12.1 (57)	4,627	3.3 (5)	8.1 (53)	11.7 (3)	2,199	14.9(12)	12.3(11)	3,182	7.8 (13)	
Madison	1,626	9.6 (29)	10.6 (55)	5,455	6.5 (35)	7.6(51)	11.7 (3)	2,195	18.7(46)	15.9 (35)	3,846	11.9 (31)	
Magoffin	475	8.6 (14)	10.3 (53)	2,201	6.8 (44)	5.2(28)	19.8 (55)	1,103	15.9 (22)	17.1 (44)	1,545	19.0 (54)	
Marshall	660	9.1 (20)	7.9 (23)	2,437	6.6 (36)	6.9 (46)	13.7(21)	1,055	10.4 (2)	8.0 (1)	1,766	7.2 (9)	
Martin	475	11.8 (52)	5.9 (5)	2,154	4.9(14)	5.3 (29)	16.3(44)	1,118	18.2(42)	17.8 (48)	1,729	6.5 (6)	
Mercer	486	9.5 (27)	6.6 (9)	1,770	6.7(41)	3.8(12)	13.6(17)	786	18.2(42)	15.4(28)	1,299	8.4 (18)	
Monroe	332	5.1 (1)	8.7 (35)	1,230	6.6 (36)	2.8 (2)	12.3 (7)	500	16.6 (26)	12.2 (9)	820	13.0 (40)	

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 5 Run Date: 8 / 6 / 03

		Compar	ison of G	rowth a	nd Anem	nia Indi	cators b	oy Local	Agency	(3,4	1)	
		Birthweight	(5)			Не	eight and V	Veight				
		Low High				Under- weight			≥ 2 Yrs Over- weight ⁽⁷⁾		Anemia Low Hb/Hct (8)	
Local Agency	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Montgomery	679	9.9 (33)	11.2 (56)	2,448	5.3 (23)	4.2(19)	13.4(14)	1,047	15.9 (22)	12.3(11)	1,813	12.0 (34)
Muhlenberg	854	9.7 (30)	7.8 (22)	3,007	2.9 (2)	7.5 (49)	11.2 (2)	1,294	11.6 (3)	10.7 (5)	1,898	11.1 (28)
N Central	1,463	9.2 (21)	7.3 (14)	4,698	12.0 (58)	3.9(14)	24.7(58)	1,810	18.7(46)	22.5 (58)	3,328	11.5 (29)
N KY	5,253	10.5 (41)	7.7 (20)	18,542	6.0 (29)	5.3 (29)	14.0 (23)	7,792	17.0 (29)	15.4 (28)	13,217	11.9 (31)
Oldham	437	10.8 (46)	8.7 (35)	1,597	8.2(53)	3.3 (5)	15.2(33)	691	18.5 (45)	14.5 (22)	1,029	12.6 (38)
Park DuV	461	18.2 (58)	6.1 (7)	1,522	11.9(57)	4.3 (22)	15.2(33)	696	20.0 (55)	15.5 (33)	1,090	9.4 (22)
Pennyrile	1,771	8.1 (10)	9.5 (47)	6,864	5.3 (23)	5.7(37)	14.0 (23)	3,027	15.1 (14)	14.1 (18)	4,880	14.0 (45)
Pike	1,737	9.0 (18)	8.2 (28)	6,464	2.9 (2)	9.1 (56)	15.8 (38)	2,906	18.8 (48)	18.5 (51)	4,394	7.3 (10)
Powell	471	10.0 (35)	7.9 (23)	1,899	3.3 (5)	3.8 (12)	13.1 (10)	939	14.8(11)	13.6(14)	1,477	5.6 (3)
Purchase	3,212	10.5 (41)	8.5 (32)	11,776	6.2(31)	5.5 (33)	17.1 (50)	5,310	16.9 (28)	15.6 (34)	8,453	16.8 (52)
Todd	333	10.2 (37)	6.0 (6)	1,323	6.7(41)	4.2(19)	14.1 (27)	592	13.9 (9)	8.8 (2)	1,005	15.3 (48)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 6 Run Date: 8 / 6 / 03

		Birthweight	(5)			Н	eight and V	Veight				
		Low	High		Short Stature (6)	Under weigh (7)			≥ 2 Yrs Over- weight ⁽⁷⁾		Low	emia Hb/Hct (8)
Local Agency	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95tl (Rank)	% n <u>></u> 95th (Rank)	Number	% (Rank)
WEDCO	1,308	11.2 (49)	6.6 (9)	4,141	5.0 (15)	7.1 (48)	13.1(10)	1,710	12.1 (4)	10.0 (4)	2,919	12.3 (36)
Whitley	1,665	8.8 (16)	10.0 (49)	6,309	6.3 (33)	4.0 (17)	16.9 (49)	2,882	18.0 (40)	18.8 (54)	4,663	6.2 (5)
Woodford	417	9.4 (25)	9.1 (43)	1,442	5.1 (18)	5.1 (26)	15.8 (38)	593	14.2(10)	14.2(19)	941	13.6 (43)
Kentucky	100,497	9.7	8.0	344,976	5.8	5.5	14.8	147,248	16.3	15.0	234,409	11.7

⁽⁸⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

⁽⁵⁾ Infants born during the reporting period included in the analysis.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁷⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

Page: 1 Run Date: 8 / 6 / 03

Compariso		stfeeding sehold by		•	d Smok (4,5)	ing in
			Breas	stfeeding (6)		
Local Agency	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)
3 Rivers	824	8.5 (19)	450	0.4 (20)	420	0.0 (1)
Allen	322	12.4 (5)	178	0.0 (42)	172	0.0 (1)
Anderson	208	12.5 (4)	121	0.8 (7)	102	0.0 (1)
Barren Riv	3,976	6.9 (35)	2,073	0.4 (20)	1,810	0.0 (1)
Bourbon	310	7.1 (32)	190	0.0 (42)	179	0.0 (1)
Boyd	898	7.0 (33)	460	0.2 (35)	416	0.0 (1)
Boyle	377	5.0 (47)	181	0.0 (42)	175	0.0 (1)
Bracken	142	9.9 (10)	69	* *	64	* *
Breathitt	346	5.2 (44)	180	0.0 (42)	167	0.0 (1)
Breckinrid	285	6.7 (36)	164	0.0 (42)	150	0.0 (1)
Buffalo Tr	416	7.9 (22)	219	0.0 (42)	209	0.0 (1)
Bullitt	729	9.7 (12)	338	0.0 (42)	319	0.0 (1)
C & Y	788	8.6 (18)	375	0.3 (30)	334	0.0 (1)

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributers.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: 2 Run Date: 8 / 6 / 03

Comparise		stfeeding sehold by		-	d Smok (4,5)	ing in	
Local Agency	Breastfeeding (6)						
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	
Christian	3,070	10.9 (7)	1,713	1.5 (3)	1,355	0.0 (1)	
Clark	533	7.9 (22)	268	0.4 (20)	236	0.0 (1)	
Cumb Val	3,126	5.2 (44)	1,800	0.1 (40)	1,708	0.0 (1)	
Estill	344	9.0 (15)	178	0.0 (42)	163	0.0 (1)	
Fayette	3,402	21.0 (1)	1,730	1.8 (1)	1,507	0.0 (1)	
Fleming	283	4.9 (48)	152	0.0 (42)	150	0.0 (1)	
Floyd	1,026	2.3 (56)	564	0.0 (42)	537	0.0 (1)	
Franklin	671	13.9 (3)	352	1.7 (2)	275	0.0 (1)	
Garrard	311	7.7 (26)	183	0.5 (14)	173	0.0 (1)	
Gateway	1,104	4.5 (50)	641	0.3 (30)	594	0.0 (1)	
Green Riv	3,791	7.0 (33)	2,039	0.6 (10)	1,741	0.0 (1)	
Greenup	580	8.3 (20)	318	0.3 (30)	265	0.0 (1)	
Hopkins	874	5.3 (43)	491	0.4 (20)	424	0.0 (1)	

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributers.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: 3 Run Date: 8 / 6 / 03

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (4,5)							
	Breastfeeding (6)						
Local Agency	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	
Jefferson	8,054	10.8 (8)	3,923	0.6 (10)	3,374	0.0 (1)	
Jessamine	626	8.9 (16)	343	0.9 (6)	290	0.0 (1)	
Johnson	568	3.9 (53)	326	0.0 (42)	312	0.0 (1)	
Knox	812	3.9 (53)	458	0.2 (35)	426	0.0 (1)	
KY River	2,487	3.9 (53)	1,409	0.4 (20)	1,271	0.0 (1)	
Lake Cumb	4,299	7.3 (28)	2,370	0.3 (30)	2,176	0.0 (1)	
Laurel	1,039	5.9 (40)	533	0.8 (7)	454	0.0 (1)	
Lawrence	350	4.9 (48)	190	0.5 (14)	184	0.0 (1)	
Lewis	291	7.2 (29)	164	0.0 (42)	158	0.0 (1)	
Lincoln	517	7.7 (26)	285	0.4 (20)	232	0.0 (1)	
Lincoln Tr	4,408	9.6 (13)	2,380	0.2 (35)	2,070	0.0 (1)	
Little San	859	7.2 (29)	488	0.2 (35)	458	0.0 (1)	
Madison	1,128	9.2 (14)	580	1.4 (4)	498	0.0 (1)	

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributers.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: 4 Run Date: 8 / 6 / 03

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (4,5)								
		Breastfeeding (6)						
Local Agency	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)		
Magoffin	382	1.6 (58)	228	0.0 (42)	221	0.0 (1)		
Marshall	520	9.8 (11)	280	0.4 (20)	262	0.0 (1)		
Martin	353	2.0 (57)	191	0.0 (42)	185	0.0 (1)		
Mercer	349	5.7 (41)	185	0.0 (42)	162	0.0 (1)		
Monroe	242	8.7 (17)	142	1.4 (4)	112	0.0 (1)		
Montgomery	517	6.0 (38)	285	0.4 (20)	242	0.0 (1)		
Muhlenberg	606	4.3 (51)	344	0.0 (42)	329	0.0 (1)		
N Central	1,087	6.0 (38)	603	0.5 (14)	549	0.0 (1)		
N KY	4,124	5.1 (46)	2,320	0.7 (9)	1,970	0.0 (1)		
Oldham	356	11.8 (6)	197	0.5 (14)	185	0.0 (1)		
Park DuV	909	8.0 (21)	445	0.4 (20)	383	0.0 (1)		
Pennyrile	1,367	10.2 (9)	783	0.4 (20)	723	0.0 (1)		
Pike	1,228	6.4 (37)	653	0.2 (35)	560	0.0 (1)		

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributers.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: 5 Run Date: 8 / 6 / 03

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (4,5)							
	Breastfeeding (6)						
Local Agency	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	
Powell	368	4.1 (52)	194	0.5 (14)	185	0.0 (1)	
Purchase	2,493	7.9 (22)	1,364	0.3 (30)	1,285	0.0 (1)	
Todd	263	7.2 (29)	160	0.6 (10)	152	0.0 (1)	
WEDCO	960	7.9 (22)	511	0.6 (10)	463	0.0 (1)	
Whitley	1,238	5.5 (42)	715	0.1 (40)	612	0.0 (1)	
Woodford	344	14.2 (2)	207	0.5 (14)	189	0.0 (1)	
Unknown Local Ager	encid\$242 1.6 (58) 62 * * 57 *				* *		
Kentucky	73,122	8.1	38,745	0.5	34,374	0.0	



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributers.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.